Noxious Weed Quarantine update



Noxious Weed Control Board

Dana Coggon
Education Specialist

Overview

- Staff Changes
- **New Office Location**
- Crash Course ID
 - Quarantined Weeds



New Staff



Executive Secretary: Steve McGonigal

360-902-2053

Education Specialist: Dana Coggon 360-902-2082

New Office Location

Mailing address:
PO Box 42560
Olympia, WA 98504-2560



Quarantined weeds Getting a little help

Recourses:

- Brochure
 - Names
- Black Books
- Web site
 - images and descriptions
 - www.nwcb.wa.gov

PLANTS AND SEEDS WHOSE SALES ARE PROHIBITED IN WASHINGTON STATE

A Summary of Current Regulations on Sales of Noxious Weeds and Other Invasive Exotic Plants

> WAC 16-752-400 through 420 WAC 16-752-500 through 525 WAC 16-752-600 through 660



Washington State
Department of Agriculture
Laboratory Services Division
2001

Quarantined weeds Changes in the last few years

- **2000-2001**
- Quarantine list doubled
 - 24 terrestrial plants
 - 15 aquatic plants
- **\$2002**
 - Kudzu



Quarantined weedsWhat do they look like??

- Bring us up to speed
- **♦ General Characteristics**
 - Terrestrial weeds
 - Aquatic weeds
- **♦Images**
- In-depth information:
 - www.nwcb.wa.gov

Kudzu (Pueraria montana var. lobata)

- **♦ Perennial vine**
- **♦Flower**
 - Purple
 - Long hanging clusters
- Leaves
 - Alternate and compound, with three broad leaflets
 - Hairy margins



Velvet leaf (Abutilon theophrasti)

- Summer annual reproduces by seed
- **♦Flower**
 - solitary, yellow, 5 petals
 - Seed pod "cheese wheel"
- **♦**Leaves
 - Alternate, Heart-shaped
- 3 to 8 feet tall
- Plant is very pubescent




Garlic mustard (Alliaria petiolata)

- Cool-season biennial herb
- **♦Flowers**
 - White, 4 petals
- **♦**Leaves
 - 1st year: rosette
 - 2nd year: alternate, triangular, "toothed"



Italian thistle (Carduus pycnocephalus)

- Winter annual
- Flowers
 - 5 pinkish,
 - Cylindrical heads
 - Borne in terminal clusters
- Leaves
 - Oblanceolate to lanceolate



Italian thistle (Carduus pycnocephalus)



- 6 feet tall
- Spiny-winged stems
 covered with cobwebby
 hairs



Slenderflower thistle (Carduus tenuiflorus)

- **♦ Winter annual**
- **♦Flowers**
 - 5-15 pinkish,
 - cylindrical heads
- **♦**Leaves
 - oblanceolate to lanceolate
 - pinnately divided with a terminal spine




Slenderflower thistle (Carduus tenuiflorus)

- 6 feet tall
- Spiny-winged stems
 - *triangular shaped
 - tipped with a spine



Common crupina (Crupina vulgaris)

- **♦ Winter annual (over winters as a rosette)**
- **♦Flower**
 - pink to purple flowers
 - 1 to 5 flowerheads
 - Branched
- Leaves
 - alternate,
 - finely divided into lace-like leaflets





Eggleaf spurge (Euphorbia oblongata)

- Perennial herb
- **♦Flowers**
 - Cup like cluster of modified leaves
- Leaves
 - Alternate, Oblong
 - Smooth and hairless
 - finely toothed



Goatsrue (Galega officinalis)

- **♦Perennial herb**
- **♦Flower**
 - Pea like
 - Whitish to bluish to purplish
 - Terminal or axillary racemes
- **♦**Leaves
 - Alternate
 - Odd-pinnate
 - 6-10 pairs of leaflets



Texas blueweed (Helianthus ciliaris)

- Rhizomatous Perennial
- **♦Flower**
 - Ray flowers yellow to orange
- **♦**Leaves
 - Lance-shaped or narrow linear
 - attached directly to the stem, without stalks
- Bluish or grayish green foliage

Yellow devil hawkweed (Hieracium floribundum)

- Perennial herb
- **♦Flowers**
 - Yellow, composites
 - Heads: flat-topped cluster
- **♦Leaves**
 - Lance-shaped, basal, glaucous
 - with the widest part being near the tip.
 - The top of the leaf is smooth underside has bristly hairs



Policeman's helmet (Impatiens glandulifera)

- Herbaceous annual
- **♦ Flowers**
 - color ranges from white to all shades of pink and purple
 - irregular
 - 5 petals (2 fused)





Policeman's helmet (Impatiens glandulifera)

♦Leaves

- oblong to ovate to elliptic
- opposite or whorled,
- usually 3 leaves to a node.
- margins are sharply serrate
- ♦3-10 feet tall




Meadow clary (*Salvia pratensis*)

- Fibrous-rooted perennial
- **♦ Flowers**
 - Bilabiate, with the upper lip arched into a half circle.
 - Typically violet-blue
- **♦ Leaves**
 - mostly basal
 - egg-shape to oblong



Clary sage (Salvia sclarea)

- Biennial or perennial herb
- **♦Flowers**
 - Bilabiate;
 - Upper corolla purple, lower whitish
- **♦**Leaves
 - triangular to egg-shaped
 - *extend up the stem
- **◆The entire plant is hairy**



Silverleaf nightshade (Solanum elaeagnifolium)

- **♦**Perennial herb
- **♦Flower**
 - blue-violet
 - 5 fused petals
 - With bright yellow stamens
 - On stalks in clusters or singly



Silverleaf nightshade (Solanum elaeagnifolium)

♦ Leaves

- lance-shaped
- Wavy margins
- Covered with short, white hairs
 - give the plant a silvery-gray color.
- Yellow spines on the leaf ribs of the plant.

Buffalobur (Solanum rostratum)


- Annual
- Flowers
 - yellow
 - 5 lobed, wheel-shaped
- **♦**Leaves
 - Alternate, petiolate,
 - (bi)pinnately lobed,
 - Spiny



Buffalobur (Solanum rostratum)

*The entire plant, except the for the flower petals, is covered by spines





Lawnweed (Solvia sessilis)

- Winter annual
- **♦Flowers**
 - Small composite
 - Greenish-translucent disc flowers and lack rays
- **♦**Leaves
 - Pinnately divided
 - giving a feathery appearance



Johnsongrass (Sorghum halepense)

- **♦ Perennial Grass**
- **♦Flowers(spikelets)**
 - In pairs at the lower end of the flowering stalk,
 - In threes at the upper end
- Stems are solid with prominent, swollen nodes
- ♦3-10 feet tall



Spanish Broom (Spartium junceum L.)

Perennial, evergreen shrub


- **♦Flowers**
 - Bright yellow
 - Pea-shaped
 - Growing in clusters at the branch ends
 - *Fragrant
- ♦6-10 feet tall



Spanish Broom (Spartium junceum L.)


Leaves

- linear to lanceolate
- Alternate
- Simple and *one-parted,
- Hairs present on the lower surface.
- *Round stems



Saltcedar (*Tamarix ramosissima*)

- Spreading shrubs or Small trees
- **♦ Flowers**
 - Pale pink to white
 - Perfect and regular
 - Spike-like racemes
- **♦ Leaves**
 - Alternate, Scale-like
 - Slender branches



Spurge Flax (*Thymelaea passerina* (L.) Coss. & Germ.)

- Herbaceous annual
- **♦ Flowers**
 - greenish and tubular
 - no petals, and eight stamens
- Leaves
 - Alternate, Linear shaped, leathery
 - Progressively smaller upward along the stems.

Leafy spurge (*Euphorbia esula*)

- Perennial
- **♦Flower**
 - inconspicuous
 - -small green without petals
 - -showy yellow bracts



Leafy spurge (Euphorbia esula)

- **♦**Leaves
 - Alternate
 - yellow-green, turn red with the first frost
 - leaves located on the lower half of the stem are scale-like
 - The upper portion are linear to oblong.
- *Plants exude milky "sap"

Tansy ragwort (Senecio jacobaea)

- Biennial
- **♦Flower**
 - Bright-yellow
 - 13 petals
 - Many in clusters
- **♦**Leaves
 - Deeply cut, blunt-toothed lobes
 - Dark green on top, whitish-green bottom

Lagarosiphon (*Lagarosiphon Major*)

♦ Herbaceous perennial strictly

aquatic,

- freshwaters, entirely submersed, spreading at surface reproduces from vegetative fragments
- Leaves
 - Spirals along stem
 - Curved backwards




European frog-bit (Hydrocharis morsus-ranae)

- Aquatic herb (free-floating)
- **♦Flowers**
 - Single, white
 - Three petals
- **♦**Leaves
 - Heart-shaped,
 - Smooth, leathery
 - Lower surface purplish-red



Fanwort (Cabomba caroliniana)

- Submerged perennial
- **♦ Flowers**
 - small white, 6 petals
- **♦Leaves**
 - narrow
 - resemble a fan arranged on a narrow stem.
- *Small lily-like leaves that float on the surface below the flowers



Flowering rush (Butomus umbelatus)

- Emergent monocot
- **♦Flower**
 - Pink flowers
 - 3 pink sepals, 3 pink petals
 - Umble
- **♦**Leaves
 - Tall, narrow, upright
 - Triangular in cross-section



Garden loosestrife (Lysimachia vulgaris)

- Perennial
- **♦ Flowers**
 - Yellow, primrose-like
 - Clustered near top of the plant
- **♦**Leaves
 - Lance-shaped
 - Opposite or whorled
 - Dotted with black or orange glands

Grass-leaved arrowhead (Sagittaria graminea)

- Perennial
- **♦Flower**
 - White or sometimes pink
 - 2 to 12 groups of 3-flowered whorls at the end of the ster
- **♦**Leaves
 - both emergent and underwater leaves
 - emergent leaves are linear to ovate
 - tapering abruptly to a point

Hairy willow herb (Epilobium hirsutum)

- Perennial
- **♦Flowers**
 - pink-crimson
- **♦**Leaves
 - Oblong lanceolate, toothed
 - Simple and glandular hairs



Marsh dewflower (Murdannia keisak)

- **Annual**
- **♦ Flowers**
 - Have 3 pink to lavender petals
- **♦**Leaves
 - alternate, lance-shaped,
 - have parallel veins
 - Bases form a sheath wrapping around the stem

Slender-leaved naiad (*Najas minor*)

- **♦**Annual
- **♦Flowers**
 - very small and produced singly in the leaf axis
- Leaves
 - opposite, strap-shaped,
 about one inch in length
 - prominent marginal teeth.





Swollen bladderwort (Utricularia inflata)

- Submersed free-floating plant
 - small bladders attached to stems that branch in a leaflike fashion.
- Flowers
 - Yellow carried on tall stalks on a whorl of inflated branches
- *Carnivorous
 - the bladders trap and digest tiny animals

Swollen bladderwort (Utricularia inflata)








Water chestnut (Trapa natans)

- Annual
- **♦Flower**
 - spike, raceme, panicle or solitary
- Leaves
 - basal or cauline, alternate, opposite, or whorled, generally simple and toothed.



Water primrose (Ludwigia hexapetala)

- Perennial herb
- **♦Flowers**
 - Bright yellow
 - Normally with 5 petal
- **♦Leaves**
 - Alternately-arranged, slightly hairy, willow-like.
- *Dense tangled mat of vegetation

Yellow floating heart (Nymphoides peltata)

- Perennial
- **♦Flower**
 - bright yellow, 5-petaled
 - Edges are distinctively fringed
- **♦**Leaves
 - Heart-shaped to circular
 - Margins are slightly wavy
 - Often purplish underneath.

More Information

WWW.NWCB.WA.GOV

Dana Coggon 360-902-2082